



PUSH Physical Theatre

Founding Directors Darren & Heather Stevenson

359 W. Bloomfield Rd.

Pittsford, NY 14534

(585) 415-7874

ChitChat@pushtheatre.org

www.pushtheatre.org

PUSH Physical Theatre Technical Rider

Education Performance Technical Requirements

Note: This technical rider is appropriate for Education Performances and Lecture/Demonstrations only. Other venues refer to the 'Performance Technical Rider'

Stage/Performance area:

1. Must be clean (performers are barefoot, stage **MUST** be completely clear of debris, splinters, holes, wires, etc. and swept or mopped).
2. Stage dimensions should be 25' x 18' or larger. For smaller areas, PUSH must be notified in advance.
3. The audience should be able to see the performers whole body, without obstruction.
4. The space must be available forty-five (45) minutes before the program starts.
5. If possible, all announcements and bells should be held until after performance.

Sound requirements:

1. One (1) **CD player**. If close to the stage or audience, it must not be affected by vibration.
2. A **sound system** capable of filling the facility with clean, undistorted sound (for most spaces, a boom box/portable stereo is not adequate).
3. One (1) **hand-held microphone** with cord long enough to facilitate movement around the stage.
4. If event is held in a theatre, in addition to the sound system, there should also be one (1) **monitor speaker** on stage directed towards the performers.

Lighting:

1. Any stage lights should be on and access given to lighting board if one is present.
2. A person knowledgeable with the lighting and sound system must be present during set-up.